

# BATTERYstart 400

## Jump starters




### Engine size compatibility

To jump start 12 V vehicles up to 8 L with petrol engines and 4 L with diesel



### Battery Power

High Power 16,800 mAh Lithium Cobalt battery



### Powerbank-Function

Charging electronic devices including smart phones and tablets



### Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart400 is a high power Lithium Cobalt LiCoO<sub>2</sub> jump starter for 12V vehicles up to 8L with petrol engines and 4L with diesel. Compact, without compromising on power, the BATTERYstart400 fits easily into the glovebox of your car – making it easier to use when in an emergency. The BATTERYstart400's intelligent clamps have anti-spike, reverse polarity and short circuit protection, keeping you, the car and the jump starter safe and in working condition. Also includes a power bank feature for charging electronic devices such as mobile phones and tablets and a bright LED working light. Ideal for all car sizes, SUVs, vans and motorcycles.

## Product family datasheet

### Technical data

Product description	Product information			
	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 400 <sup>1)</sup>	Best	8 l	4 l	2

Product description	12V Power socket connection	Electrical Data		Physical Attributes & Dimensions
		Cranking Amps	Peak Amps	Length
BATTERY start 400 <sup>1)</sup>	Yes	400	2000	212.0 mm

Product description	Width	Height	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
			Date of declaration	Candidate list substance 1
BATTERY start 400 <sup>1)</sup>	88.0 mm	30.0 mm	26-06-2024	Lead





Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
BATTERY start 400 <sup>1)</sup>	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	04bfb91c-9f38-4530-8bb1-23587637e9c4

<sup>1)</sup> Up to 8L Petrol 4L Diesel

## Product family datasheet

---

### Download Data

File	
	User instruction BATTERYstart
	Movie application BatteryStart How to Video (ITA)
	Movie application BatteryStart How to Video (EN)
	Product movie OSRAM BATTERYstart 400 Product Video (EN)

#### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.